


## Żuraw samojezdny Faun RTF 30





## Żuraw samojezdny

## Faun RTF 30



Model: R7	F 30-2	2						N - Tabela I							
Odległośc	Udźwig 30 t DIN 15019 Blatt 2, Atsvari 2.2 t														Odległośc
(m)	Promień roboczy 360°														
	Nachylenie 8,18 m - 25,38 m														
	Z°	8,18 m	Z°	13,91 m	Z°	13,91 m	Z°	13,91 m	Z°	19,65 m	Z°	19,65 m	Z°	25,38 m	
		(t)		(t)		(t)		(t)		(t)		(t)		(t)	
3,0	61	30,00													3.0
3,5	57	26,00													3.5
4,0	52	22,60	70	18,00	70	13,00	70	12,90							4.0
4,5	47	20,00	68	16,70	68	13,00	68	11 ,80							4.5
5,0	41	17,80	65	15,30	65	13,00	65	11,10	74	12,70	74	8,60			5,0
6,0	27	14,60	60	13,10	60	11 ,80	60	9,60	71	11,40	71	7,60	77	9,00	6,0
7,0			55	11,30	55	10,40	55	8,50	68	10,10	68	6,70	75	8,25	7,0
8,0			50	9,60	50	9,10	50	7,60	64	8,80	64	6,00	72	7,50	8.0
9,0			44	7,60	44	7,20	44	6,90	61	7,30	61	5,30	70	6,85	9,0
10,0			37	6,20	37	5,80	37	6,30	57	6,10	57	4,80	67	6,20	10,0
11,0			29	5,20	29	4,80	29	5,60	54	5,10	54	4,30	65	5,40	11,0
12,0			16	4,30	16	4,00	16	4,70	50	4,40	50	4,00	62	4,70	12,0
13,0									46	3,70	46	3,70	59	4,00	13,0
14,0									41	3,20	41	3,40	57	3,50	14,0
15,0		5							36	2,80	36	3,10	54	3,10	15,0
16,0									30	2,40	30	2,80	51	2,80	16,0
17,0									23	2,10	23	2,60	47	2,45	17,0
18,0					· ·				7	1,80	7	2,40	44	2,10	18,0
19,0													40	1,95	19,0
20,0													36	1,80	20,0
21,0													32	1,60	21,0
22,0													26	1,40	22,0
23,0													19	1,20	23,0

Dźwigi Kuleszewicz ul.Kukułek 41 41-200 Sosnowiec tel: +48 606 907 509